

## Articles by Harold N. Godwin

HN Godwin

Closing the pharmacy practice gap

Am. J. Health Syst. Pharm., Mar 2004; 61: 623 - 625.

HN Godwin

Achieving best practices in health-system pharmacy: eliminating the 'practice gap'

Am. J. Health Syst. Pharm., Dec 2000; 57: 2212 - 2213.

MD Sanborn, HN Godwin, and JD Pessetto

FDA drug classification system

Am. J. Health Syst. Pharm., Dec 1991; 48: 2659 - 2662.

HN Godwin

Harvey A. K. Whitney Lecture. To a new beginning from converging paths

Am. J. Health Syst. Pharm., Aug 1991; 48: 1697 - 1703.

KC Dinklage, SJ White, JC Lenhart, and HN Godwin

Accuracy and time requirements of a bar-code inventory system for controlled substances

Am. J. Health Syst. Pharm., Nov 1989; 46: 2304 - 2307.

Ezell, JR, HN Godwin, RN Hassanein, and JA Matchett

Comparison of videocassette and personal instruction methods for training pharmacy personnel in aseptic technique

Am. J. Health Syst. Pharm., Oct 1988; 45: 2112 - 2117.

HN Godwin

A challenge met: growth through partnership

Am. J. Health Syst. Pharm., Aug 1983; 40: 1353 - 1356.

SB Cano and HN Godwin

Specialized employment by pharmacy residents (1976-1981)

Am. J. Health Syst. Pharm., Jan 1983; 40: 116 - 117.

RL DeChant, D Furtado, FM Smith, HN Godwin, and DE Domann

Determining a time frame for sterility testing of intravenous admixtures

Am. J. Health Syst. Pharm., Aug 1982; 39: 1305 - 1308.

HN Godwin

Partners in progress

Am. J. Health Syst. Pharm., Aug 1982; 39: 1343 - 1346.

I Dirks, FM Smith, D Furtado, SJ White, and HN Godwin

Method for testing aseptic technique of intravenous admixture personnel

Am. J. Health Syst. Pharm., Mar 1982; 39: 457 - 459.

MR Phelps and HN Godwin

Pharmacy and therapeutics committee review of the parenteral cephalosporins

Am. J. Health Syst. Pharm., Jan 1978; 35: 73 - 75.

SJ White, PO Miller, and HN Godwin

Unit dose innovations

Am. J. Health Syst. Pharm., Aug 1975; 32: 814 - 817.

SJ White and HN Godwin

Pharmacist-community nurse liaison services

Am. J. Health Syst. Pharm., Nov 1974; 31: 1063 - 1065.

KH Hoffman, FM Smith, HN Godwin, LC Hogan, and D Furtado

Evaluation of three methods for detecting bacterial contamination in intravenous solutions

Am. J. Health Syst. Pharm., Aug 1982; 39: 1299 - 1302.

CM Miller, D Furtado, FM Smith, HN Godwin, LC Hogan, and DE Letendre

Evaluation of three methods for detecting low-level bacterial contamination in intravenous solutions

Am. J. Health Syst. Pharm., Aug 1982; 39: 1302 - 1305.