| Year | Recipient | Finalist | Finalist |
|------|-----------|----------|----------|
| 2018 | Baptist Memorial Hospital - Memphis Memphis, TN <br>• Transitioning to an Opioid-Light Emergency Department | Straub Medical Center Honolulu, HI <br>• Orthopedic Surgery Opioid Stewardship | University of Florida College of Pharmacy Gainesville, FL <br>• Personalized Medicine Program |
| 2017 | University of North Carolina Medical Center Chapel Hill, NC <br>• Improving the Safety and Care of Patients with Suspected or Confirmed Heparin-Induced Thrombocytopenia | VA Ann Arbor Healthcare System Ann Arbor, MI <br>• Accuracy and Every Second Counts: Code Cart Medicine Tray Redesign | Aurora Health Care Milwaukee, WI <br>• Metric is Our New "Weigh" Patient Safety Initiative |
| 2016 | Cincinnati Children's Hospital Medical Center Cincinnati, OH <br>• Decreasing Vancomycin-Associated Acute Kidney Injury: A Successful Partnership to Improve Care and Outcomes | NewYork-Presbyterian Hospital New York, NY <br>• MRxEd: Utilizing Technology for a Patient-Centered Approach to Medication Regimen Education | Geisinger Clinic Danville, PA <br>• Enhanced Chronic Pain Management: Multifaceted Team-Based Care |
| 2015 | Houston Methodist Hospital System Houston, TX <br>• Clinical Management of High-Risk Medication Use to Mitigate the Incidence of Hospital-Acquired Delirium in the Geriatric Population | University of Colorado Hospital Aurora, CO <br>• Thinking Outside the Pump: Strategies for Improving the Safety of Patient-Controlled Analgesia | University of Illinois Hospital & Health Sciences System Chicago, IL <br>• Novel Pharmacist-Led Personalized Medicine Program Improves Patient Safety, Clinical and Healthcare Utilization Outcomes |
| 2014 | Smilow Cancer Hospital at Yale-New Haven Hospital New Haven, CT <br>• Moving Oncology Care Closer to Home: Pharmacy Leadership Makes a Difference | Minnesota Hospital Association St. Paul, MN <br>• Minnesota Road Map to Reducing ADEs | UC San Diego Health System San Diego, CA <br>• EHR "Best Practice Alerts" Improve Medication Safety in Kidney Patients |

| Year | Recipient | Finalist | Finalist |
|------|-----------|----------|----------|
| 2013 | BJC Healthcare<br>St. Louise, MO<br>• Using Automation to Detect Severe Hypoglycemia, Collect Causative Factors, and Inform Prevention Strategies Across a Large Health Care System | Veterans Integrated Service Network (VISN 21)<br>• Pharmacovigilance Dashboards: Improving Medication Safety by Transforming Data into Information | Southern California Kaiser Permanente<br>• Outpatient Safety Net Program |
| 2012 | VA Boston Healthcare System<br>Boston, MA<br>• Enhancing medication safety after hospital discharge | St. Luke's Mountain States Tumor Institute<br>Boise, ID<br>• Pharmacist-managed oral chemotherapy program | Summa Health System<br>Akron, OH<br>• Prevention of medication-induced delirium |
| 2011 | UW Health<br>Madison, WI<br>• Anticoagulation stewardship program | Kaiser Permanente Colorado<br>Denver, CO<br>• Improving prescribing safety in patients with renal insufficiency in the ambulatory setting | University of Michigan Health System<br>Ann Arbor, MI<br>• Pain management strategies to improve patient outcomes |
| 2010 | Medical University of South Carolina<br>Charleston, SC<br>• Optimization of medication use and outcomes in kidney transplant patients | Lancaster General Health<br>Lancaster, PA<br>• Implementation of an intravenous operability program | Kingsbrook Jewish Medical Center<br>Brooklyn, NY<br>• Creation of a clinical pharmacist-led multidisciplinary program for weaning patients from ventilators |
| 2009 | Women & Children's Hospital of Buffalo<br>Buffalo, NY<br>• Development of a safe IV medication delivery system and intensive training program for both its pediatric and adult patients | Henry Ford Hospital<br>Detroit, MI<br>• Implementation of a system-wide, pharmacist-directed anticoagulant service (PDAS) to improve patient safety | Rex Healthcare<br>Raleigh, NC<br>• Development of "Stop the Traveling Clot" which focused on preventing venous thromboembolism (VTE) |
| 2008 | Novant Health<br>Winston-Salem, NC<br>• Initiation of a program to prevent adverse drug events (ADEs) in older outpatients | Northwestern Memorial Hospital<br>Chicago, IL<br>• Implementation of a program to significantly improve medication reconciliation compliance | Richard M. Ross Heart Hospital<br>Columbus, OH<br>• Establishment of a continuous quality improvement project that focused on the safe administration of antithrombotics used in the treatment of coronary artery disease. |

| | | | |
|---|---|---|---|
| **2007** | Barnes-Jewish Hospital<br>St. Louis, MO<br>• Adoption and standardization of interventions related to the rapid diagnosis and treatment of severe sepsis | Community Health Network, Indianapolis, IN<br>• Development and implementation of an action plan to improve admission history and medication reconciliation processes | Mercy Health Center<br>Oklahoma City, OK<br>• Development of the Pharmacy Falls Prevention Program |
| **2006** | Alaska Native Medical Center<br>Anchorage, AK<br>• Telepharmacy program to improve pharmaceutical care | McLeod Regional Medical Center<br>Florence, SC<br>• Implementation of a redesigned medication safety process to reduce medication errors system-wide | St. Joseph's/Candler Health System<br>Savannah, GA<br>• Improvement of medication safety related to IV medication administration |
| **2005** | Evanston Northwestern Healthcare<br>Evanston, IL<br>• Creation of an electronic health record system, which was implemented in its 3 hospitals and 60-plus physician offices | St. Francis Hospital and Health Centers<br>Beach Groce, IN<br>• Development of a Medication Event Decision Support (MEDS) Team to develop a strategic plan for medication safety | Sutter Medical Center<br>Sacramento, CA<br>• Development of an Emergency Drug Sheet System to define all concentrations of vasoactive medications and standardize procedures for all aspects related to medication use |
| **2004** | Ohio Health<br>Columbus, OH<br>• Implementation of computerized triggers along with enhanced voluntary reporting to identify adverse drug events | Children's Medical Center<br>Dayton, OH<br>• Changing the culture of safety | Fairview Health Services<br>Minneapolis, MN<br>• Reduction of adverse drug events by 90% over a 5-year period |